Read doc tutorial Documentation

Release 1.0

Tek Raj Chhetri

Contents:

1	Welcome to documentation world	1
2	Introduction	3
3	Basic styles	5
4	Links	-

				4
CH	IΛ	D٦	\Box	
\cup Γ	ıH	ГΙ	\Box	

Welcome to documentation world

this is a new way of creating documentation

					\cap
\smallfrown L	ΙЛ	РΤ		\Box	
\smile Γ	1/4	г	ı⊏	П	

Introduction

Markdown is a markup language designed to be simple enough to let anyone write structured documents without the need of a visual editor

I strongly encourage you to change the source of the various parts to see what happens (the output will change as

CHAPTER 3

Basic styles

With this markup you can obtain *simple emhpasis* (usually rendered in italic text), **strong emphasis** (usually rendered in bold text), *source code* text (usually rendered in monospaced text), or ~~strikethrough~~ text (usually rendered with a line through text).

You may use also _this_ or __this__ notation to emphatize text, and you can use all them _**'together'**_ (and you can mix * and _)

If you look at the source code you may note that even if you break the lines, the text is kept together in a single paragraph

Paragraphs are delimited by blank lines, leading and trailing spaces are removed

You may force a line break with two spaces or with a "at the end of

CHAPTER 4

Links

- You can insert links in text like [this](/tutorial.md)
- You may add a [title](https://agea.github.io/tutorial.md "Markdown Tutorial") to your link (can you see the tooltip?)
- If your link contains spaces you have to write the [link](http://example.com/a space) between <>>
- You can use spaces and markup inside the [link text](https://agea.github.io/tutorial.md)
- Long links may decrease source readability, so it's posible to define all links somewhere in the document (the end is a good place) and just reference the [link][tutorial.md], you may also collapse the reference if it matches the link text (example: [tutorial.md][])
- You may also write directly the link: https://agea.github.io/tutorial.md
- It will work also for email addresses: <email@example.com> (you may write vaild email links also using [mailto](mailto:email@example.com) as protocol)

[tutorial.md]: https://agea